antibodies -online.com





anti-RSAD1 antibody (Middle Region)

2 Images



Go to Product page

()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL
Target:	RSAD1
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Cow, Rat, Guinea Pig, Rabbit, Horse, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RSAD1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human RSAD1
Sequence:	NWTYWQCGQY LGVGPGAHGR FMPQGAGGHT REARIQTLEP DNWMKEVMLF
Predicted Reactivity:	Cow: 100%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 91%
Characteristics:	This is a rabbit polyclonal antibody against RSAD1. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	RSAD1
Alternative Name:	RSAD1 (RSAD1 Products)

Target Details

Background:	RSAD1 may be involved in porphyrin cofactor biosynthesis.	
	Alias Symbols: FLJ11164, FLJ20975	
	Protein Size: 442	
Molecular Weight:	49 kDa	
Gene ID:	55316	
NCBI Accession:	NM_018346, NP_060816	
UniProt:	Q9HA92	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 442 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa_ 65 kDa_ 40 kDa_ 31 kDa_ 22 kDa_ 90 kDa_ 65 kDa_ 40 kDa_ 31 kDa_ 22 kDa_

Western Blotting

Image 1. WB Suggested Anti-RSAD1 Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:1562500

Positive Control: 293T cell lysate

Western Blotting

Image 2. WB Suggested Anti-RSAD1

Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:1562500

Positive Control:.93T cell lysate

RSAD1 is supported by BioGPS gene expression data to be

expressed in HEK293T