

# Datasheet for ABIN2787522 anti-MID1 antibody (N-Term)

## 1 Image



#### Overview

Quantity:	100 μL
Target:	MID1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Guinea Pig, Horse, Zebrafish (Danio rerio), Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MID1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Human MID1
Sequence:	PTCRHVITLS QRGLDGLKRN VTLQNIIDRF QKASVSGPNS PSETRRERAF
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 93%, Rat: 100%, Zebrafish: 85%
	93%, Nat. 100%, Zebiansn. 03%
Characteristics:	This is a rabbit polyclonal antibody against MID1. It was validated on Western Blot.
Characteristics:  Purification:	
	This is a rabbit polyclonal antibody against MID1. It was validated on Western Blot.
Purification:	This is a rabbit polyclonal antibody against MID1. It was validated on Western Blot.
Purification: Target Details	This is a rabbit polyclonal antibody against MID1. It was validated on Western Blot.  Affinity Purified

#### **Target Details**

Bacl	kgro	und:
Daci	ryi O	ui iu.

The protein encoded by this gene is a member of the tripartite motif (TRIM) family, also known as the 'RING-B box-coiled coil' (RBCC) subgroup of RING finger proteins. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein forms homodimers which associate with microtubules in the cytoplasm. The protein is likely involved in the formation of multiprotein structures acting as anchor points to microtubules. Mutations in this gene have been associated with the X-linked form of Opitz syndrome, which is characterized by midline abnormalities such as cleft lip, laryngeal cleft, heart defects, hypospadias, and agenesis of the corpus callosum. This gene was also the first example of a gene subject to X inactivation in human while escaping it in mouse. Protein Interaction Partner: STK36, MID2, UBE2E3, DYRK4, UBE2E2, UBE2E1, UBE2D3, UBE2D2, UBE2D1, PKN1, PPP2R4, PPP2CA, MID1, MEOX1, FKBP1A, EHHADH, BYSL, TCEANC, UBTD1, OTUB2, GMCL1, HTT, IGBP1, PNKP, MID1IP1, GNB2L1, RPS8, RPS3, NPM1, HSP90AA1, EEF1A1, ANXA2, UBC, UBE2D4, UBE2D4, UBE2N, ELA

Protein Size: 552

Molecular Weight:

60 kDa

Gene ID:

4281


#### **Application Details**

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



### **Western Blotting**

Image 1.