

Datasheet for ABIN2787711  
**anti-NMRAL1 antibody (Middle Region)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	NMRAL1
Binding Specificity:	Middle Region
Reactivity:	Human, Rat, Mouse, Cow, Dog, Rabbit, Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NMRAL1 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human NMRAL1
Sequence:	TCRHAEYYA ALLTKHTRKV VHDAKMTPED YEKLGFPGAR DLANMFRFYA
Predicted Reactivity:	Cow: 100%, Dog: 93%, Guinea Pig: 92%, Horse: 85%, Human: 100%, Mouse: 92%, Rabbit: 100%, Rat: 92%
Characteristics:	This is a rabbit polyclonal antibody against NMRAL1. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	NMRAL1
---------	--------

## Target Details


Alternative Name:	NMRAL1 ( <a href="#">NMRAL1 Products</a> )
Background:	<p>The function of this protein is binding , oxidoreductase activity ,and transcription repressor activity.</p> <p>Alias Symbols: FLJ25918, HSCARG, SDR48A1</p> <p>Protein Interaction Partner: IKBKG, UBC, OTUB2, OTUB1, IKBKE, UCHL1, TRAF3, FOXJ1, COMMD1,</p> <p>Protein Size: 299</p>
Molecular Weight:	33 kDa
Gene ID:	57407
NCBI Accession:	<a href="#">NM_020677</a> , <a href="#">NP_065728</a>
UniProt:	<a href="#">Q9HBL8</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 299 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1. WB Suggested Anti-NMRAL1 Antibody Titration:**

0.2-1 ug/ml

**ELISA Titer:** 1:1562500

**Positive Control:** Hela cell lysate