antibodies .- online.com





anti-CDKL2 antibody (N-Term)



Image



Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Overview	
Quantity:	100 μL
Target:	CDKL2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDKL2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human CDKL2	
Sequence:	MEKYENLGLV GEGSYGMVMK CRNKDTGRIV AIKKFLESDD DKMVKKIAMR	
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%	
Characteristics:	This is a rabbit polyclonal antibody against CDKL2. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Affinity Purified	

Target Details

Target: CDKL2


Target Details

Alternative Name:	CDKL2 (CDKL2 Products)	
Background:	The specific function of the protein remains unknown. This gene product is a member of a lar family of CDC2-related serine/threonine protein kinases. It accumulates primarily in the cytoplasm, with lower levels in the nucleus. Alias Symbols: KKIAMRE, P56 Protein Interaction Partner: FRY, CDKL2, APP, CBL, IRF3,	
	Protein Size: 493	
Molecular Weight:	54 kDa	
Gene ID:	8999	
NCBI Accession:	NM_003948, NP_003939	
UniProt:	Q92772	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 493 AA
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-CDKL2 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: SH-SYSY cell lysate