# antibodies -online.com





## anti-EXD3 antibody (N-Term)



1

Publication



Go to Product page

Overview	
Quantity:	100 μL
Target:	EXD3
Binding Specificity:	N-Term
Reactivity:	Human, Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EXD3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human FLJ20433
Sequence:	MGPAGCAFTL LLLLGISVCG QPVYSSRVVG GQDAAAGRWP WQVSLHFDHN
Predicted Reactivity:	Goat: 92%, Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against FLJ20433. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	EXD3

## **Target Details**

Abstract:	EXD3 Products
Background:	The specific function of FLJ20433 is not yet known.
	Alias Symbols: FLJ30442, MGC131904, MGC74981, mut-7, FLJ20433
	Protein Interaction Partner: EXD3, DAZAP2, CUL1, PLSCR1,
	Protein Size: 758
Molecular Weight:	83 kDa
Gene ID:	54932
NCBI Accession:	NM_017820, NP_060290
UniProt:	Q8N9H8

## **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 758 AA
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Publications**

Product cited in: Yau, Liu, Fairlie: "Toward drugs for protease-activated receptor 2 (PAR2)." in: **Journal of** 

medicinal chemistry, Vol. 56, Issue 19, pp. 7477-97, (2013) (PubMed).

#### **Images**



#### **Western Blotting**

**Image 1.** WB Suggested Anti-FLJ20433 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Human heart