

#### Datasheet for ABIN2788052

# anti-UBTD1 antibody (Middle Region)



Alternative Name:



Go to Product page

| 100 μL   |
|--|
| UBTD1  |
| Middle Region  |
| Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio)        |
| Rabbit   |
| Polyclonal   |
| This UBTD1 antibody is un-conjugated   |
| Western Blotting (WB)  |
|  |
| The immunogen is a synthetic peptide directed towards the middle region of human UBTD1 |
| TEEESLEPPE PPPSVRREFP LKVRLSTGKD VRLSASLPDT VGQLKRQLHA                                 |
| Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: |
| 100%, Rat: 100%, Zebrafish: 86%  |
| This is a rabbit polyclonal antibody against UBTD1. It was validated on Western Blot.  |
| Affinity Purified  |
|  |
|  |
|  |

**UBTD1** (UBTD1 Products)

### **Target Details**

| Background:       | The function of UBTD1 remians unknown.  |
|-------------------|---|
|                   | Alias Symbols: FLJ11807   |
|                   | Protein Interaction Partner: MRFAP1L1, TRIM39, MID2, MID1, KIAA2026, SHROOM3, BCOR, |
|                   | UBE2D4, RNF10, UBE2D3, UBE2D2, UBE2D1, TEAD1, RANBP2, PFKM, PAN2, FZD5, UBC, CD1A,  |
|                   | Protein Size: 227   |
| Molecular Weight: | 26 kDa  |
| Gene ID:          | 80019   |
| NCBI Accession:   | NM_024954, NP_079230  |
| UniProt:          | Q9HAC8  |

## **Application Details**

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment:           | Antigen size: 227 AA   |
| Restrictions:      | For Research Use only  |

## Handling

| Format:            | Liquid  |
|--------------------|---|
| Concentration:     | Lot specific  |
| Buffer:            | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.                                     |
| Preservative:      | Sodium azide  |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                  |
| Handling Advice:   | Avoid repeated freeze-thaw cycles.  |
| Storage:           | -20 °C  |
| Storage Comment:   | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |

90 kDa\_\_ 65 kDa\_\_ 40 kDa\_\_ 29 kDa\_\_ 22 kDa\_\_

#### **Western Blotting**

**Image 1.** WB Suggested Anti-UBTD1 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control: Jurkat cell lysate