antibodies -online.com





anti-OR2C1 antibody (C-Term)



Image



Go to Product page

\sim	
()\/\	rview
\circ	

Quantity:	100 μL
Target:	OR2C1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Dog, Guinea Pig, Pig, Cow, Horse, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR2C1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human OR2C1
Sequence:	FYGSASYGYL LPAKNSKQDQ GKFISLFYSL VTPMVNPLIY TLRNMEVKGA
Predicted Reactivity:	Cow: 93%, Dog: 86%, Guinea Pig: 85%, Horse: 86%, Human: 100%, Mouse: 79%, Pig: 86%, Rabbit: 86%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against OR2C1. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	OR2C1
Alternative Name:	OR2C1 (OR2C1 Products)

Target Details

Bac	kar	'nΙ	ın	Ч.
Duo		\sim	<i>.</i>	ч.

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Alias Symbols: MGC163200, MGC95444, OLFmf3, OR2C2P

Protein Size: 312

Molecular Weight:

34 kDa

Gene ID:

4993

NCBI Accession:

NM_012368, NP_036500

UniProt:

095371

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 312 AA
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Handling

Storage Comment:

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-OR2C1 Antibody Titration: 1.0 ug/ml Positive Control: 721_B Whole Cell OR2C1 is supported by BioGPS gene expression data to be expressed in 721_B