

# Datasheet for ABIN2788430

# anti-MORG1 antibody (C-Term)





#### Go to Product page

$\sim$				
( )	ve.	r\/	101	Λ

Quantity:	100 μL	
Target:	MORG1 (wdr83)	
Binding Specificity:	C-Term	
Reactivity:	Human, Rat, Mouse, Guinea Pig, Cow, Dog, Horse, Rabbit	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MORG1 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human WDR83	
Sequence:	EGALALALPV GSGVVQSLAY HPTEPCLLTA MGGSVQCWRE EAYEAEDGAG	
Sequence: Predicted Reactivity:	EGALALALPV GSGVVQSLAY HPTEPCLLTA MGGSVQCWRE EAYEAEDGAG  Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%, Rat: 85%	
	Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%,	
Predicted Reactivity:	Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%, Rat: 85%	
Predicted Reactivity:  Characteristics:	Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%, Rat: 85%  This is a rabbit polyclonal antibody against WDR83. It was validated on Western Blot.	
Predicted Reactivity:  Characteristics:  Purification:	Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%, Rat: 85%  This is a rabbit polyclonal antibody against WDR83. It was validated on Western Blot.	
Predicted Reactivity:  Characteristics:  Purification:  Target Details	Cow: 85%, Dog: 86%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 85%, Rabbit: 79%, Rat: 85%  This is a rabbit polyclonal antibody against WDR83. It was validated on Western Blot.  Affinity Purified	

## **Target Details**

rarget Details			
Background:	This gene encodes a member of the WD-40 protein family. The protein is proposed to function as a molecular scaffold for various multimeric protein complexes. The protein associates with several components of the extracellular signal-regulated kinase (ERK) pathway, and promotes ERK activity in response to serum or other signals. The protein also interacts with egl nine homolog 3 (EGLN3, also known as PHD3) and regulates expression of hypoxia-inducible factor 1, and has been purified as part of the spliceosome.  Alias Symbols: MGC4238, MORG1  Protein Interaction Partner: KEAP1, PRKCI, CRB3, PARD6B, PARD6G, PARD6A, KDM1A, TOE1, UBL5, PPIL1, SAP30BP, LSM3, GPKOW, PRPF8, GNB2L1, SF3B4, AQR, BAG2, SF1, SNRPC, PCBP2, HSPB1, HNRNPH2, UBC, LAMTOR3, RAF1, MAP2K2, MAP2K1, MAPK3, MAPK1, EGLN3 Protein Size: 315		
Molecular Weight:	34 kDa		
Gene ID:	84292		
NCBI Accession:	NM_032332, NP_115708		
UniProt:	Q9BRX9		
Application Details			
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.		
Comment:	Antigen size: 315 AA		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	Lot specific		
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		

-20 °C


Storage:

### Handling

Storage Comment:

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Images**



### **Western Blotting**

Image 1.