

## Datasheet for ABIN2788474

# anti-SLC25A33 antibody (Middle Region)





Go to Product page

_			
	Ve.	rv	iew

Quantity:	100 μL
Target:	SLC25A33
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rabbit, Rat, Cow, Dog, Guinea Pig, Horse, Sheep
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC25A33 antibody is un-conjugated
Application:	Western Blotting (WB)

#### **Product Details**

Sequence:	MNPIWMVKTR MQLEQKVRGS KQMNTLQCAR YVYQTEGIRG FYRGLTASYA	
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 100%, Mouse: 86%, Rabbit: 86%, Rat: 100%, Sheep: 93%	
Characteristics:	This is a rabbit polyclonal antibody against SLC25A33. It was validated on Western Blot.	
Purification:	Affinity Purified	

#### **Target Details**

Target:	SLC25A33	
Alternative Name:	SLC25A33 (SLC25A33 Products)	
Background:	SLC25A33 belongs to the SLC25 family of mitochondrial carrier proteins.	

## **Target Details**

	Alias Symbols: BMSC-MCP, MGC4399	
	Protein Interaction Partner: YAE1D1,	
	Protein Size: 321	
Molecular Weight:	35 kDa	
Gene ID:	84275	
NCBI Accession:	NM_032315, NP_115691	
UniProt:	Q9BSK2	

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 321 AA	
Restrictions:	For Research Use only	

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa\_ 65 kDa\_\_ 40 kDa\_ 29 kDa\_\_ 22 kDa\_\_

Rabbit Anti-SLC25A33 Antibody

Catalog Number: ARP60511 Lot Number: QC32500 Lane: ACHN Cell Lysate

Antibody Titration: 1.0µg/ml

Gel Concentration: 12%

#### **Western Blotting**

Image 1.