# antibodies - online.com







## anti-SFT2D3 antibody (N-Term)



Image



$\sim$	
( )\/\	rview
$\circ$	

Quantity:	100 μL
Target:	SFT2D3
Binding Specificity:	N-Term
Reactivity:	Human, Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SFT2D3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human
	SFT2D3
Sequence:	
	SFT2D3
Sequence:	SFT2D3  EYLAQGKAGG PAAAEPLLAA EKAEEPGDRP AEEWLGRAGL RWTWARSPAE
Sequence: Predicted Reactivity:	SFT2D3  EYLAQGKAGG PAAAEPLLAA EKAEEPGDRP AEEWLGRAGL RWTWARSPAE  Human: 100%, Yeast: 77%
Sequence:  Predicted Reactivity:  Characteristics:	SFT2D3  EYLAQGKAGG PAAAEPLLAA EKAEEPGDRP AEEWLGRAGL RWTWARSPAE  Human: 100%, Yeast: 77%  This is a rabbit polyclonal antibody against SFT2D3. It was validated on Western Blot.
Sequence:  Predicted Reactivity:  Characteristics:  Purification:	SFT2D3  EYLAQGKAGG PAAAEPLLAA EKAEEPGDRP AEEWLGRAGL RWTWARSPAE  Human: 100%, Yeast: 77%  This is a rabbit polyclonal antibody against SFT2D3. It was validated on Western Blot.
Sequence:  Predicted Reactivity:  Characteristics:  Purification:  Target Details	EYLAQGKAGG PAAAEPLLAA EKAEEPGDRP AEEWLGRAGL RWTWARSPAE  Human: 100%, Yeast: 77%  This is a rabbit polyclonal antibody against SFT2D3. It was validated on Western Blot.  Affinity Purified

#### Target Details


Background:	SFT2D3 may be involved in fusion of retrograde transport vesicles derived from an endocytic
	compartment with the Golgi complex .
	Alias Symbols: MGC5391
	Protein Interaction Partner: UBC,
	Protein Size: 215
Molecular Weight:	22 kDa
Gene ID:	84826
NCBI Accession:	NM_032740, NP_116129
UniProt:	Q587I9

#### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 215 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

**Image 1.** WB Suggested Anti-SFT2D3 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Jurkat cell lysate