

Datasheet for ABIN2789080  
**anti-FAF2 antibody (N-Term)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	FAF2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Rabbit, Guinea Pig, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAF2 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Sequence:	LLQFQDLTGI ESMEQCRLAL EQHNWNMEAA VQDRLNEQEG VPSVFNPPPA
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against Faf2. It was validated on Western Blot.
Purification:	Affinity Purified

## Target Details

Target:	FAF2
Alternative Name:	Faf2 ( <a href="#">FAF2 Products</a> )
Background:	Faf2 may play a role in the translocation of terminally misfolded proteins from the endoplasmic

## Target Details


	reticulum lumen to the cytoplasm and their degradation by the proteasome. Alias Symbols: 2210404D11Rik, AI462440, Ubxd8, mKIAA0887 Protein Interaction Partner: Map3k1, Protein Size: 445
Molecular Weight:	52 kDa
Gene ID:	76577
NCBI Accession:	<a href="#">NM_178397</a> , <a href="#">NP_848484</a>
UniProt:	<a href="#">Q3TDN2</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 445 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-Faf2 Antibody Titration: 1.0 ug/ml Positive Control: Mouse Liver