

Datasheet for ABIN2789892

anti-ANGPTL1 antibody (C-Term)






\sim			
	ve	r\/	٨
\cup	V C	1 V I	٧V

Overview		
Quantity:	100 μL	
Target:	ANGPTL1	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Cow, Guinea Pig, Rabbit, Horse, Pig, Dog, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ANGPTL1 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of human ANGPTL1	
Sequence:	PDLATSPTKS PFKIPPVTFI NEGPFKDCQQ AKEAGHSVNG IFWAEYRGGS	
Predicted Reactivity:	Cow: 79%, Dog: 93%, Guinea Pig: 86%, Horse: 93%, Human: 100%, Mouse: 100%, Pig: 93%, Rabbit: 100%, Zebrafish: 79%	
Characteristics:	This is a rabbit polyclonal antibody against ANGPTL1. It was validated on Western Blot.	
Purification:	Affinity Purified	
Target Details		
Target:	ANGPTL1	

Target Details

Ali	ANADTI 4 (ANADTI 4 D. J. J.)	
Alternative Name:	ANGPTL1 (ANGPTL1 Products)	
Background:	Angiopoietins are members of the vascular endothelial growth factor family and the only known	
	growth factors largely specific for vascular endothelium. Angiopoietin-1, angiopoietin-2, and	
	angiopoietin-4 participate in the formation of blood vessels. The protein encoded by this gene is	
	another member of the angiopoietin family that is widely expressed in adult tissues with mRNA	
	levels highest in highly vascularized tissues. This protein was found to be a secretory protein	
	that does not act as an endothelial cell mitogen in vitro.	
	Alias Symbols: ANG3, ARP1, AngY, ANGPT3, UNQ162, dJ595C2.2	
	Protein Size: 280	
Molecular Weight:	30 kDa	
Gene ID:	9068	
NCBI Accession:	NM_004673, NP_004664	
UniProt:	095841	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %	
	sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small	
	aliquots to prevent freeze-thaw cycles.	



Western Blotting

Image 1.