

Datasheet for ABIN2789957
anti-EBNA1BP2 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	EBNA1BP2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EBNA1BP2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Sequence:	GGKKKGSKWN TRESYDDVSS FRAKTAHGRG LKRP GKSGSN KRPGKRTREK
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 79%, Pig: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against EBNA1BP2. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	EBNA1BP2
Alternative Name:	EBNA1BP2 (EBNA1BP2 Products)
Background:	EBNA1BP2 is required for the processing of the 27S pre-rRNA.

Target Details

Alias Symbols: EBP2, NOBP, P40

Protein Interaction Partner: FAM9B, TP53, UBC, PRKRA, ADARB1, ZNF622, LIN28A, ZNF346, POP1, EED, SUZ12, SRPK3, HDAC11, EIF2AK2, PAXIP1, RPS6, RPL31, RPL7, RPL5, NOP2, EIF6, FBL, DHX15, FTSJ3, BRIX1, NOP58, RRP7A, GNL3, ADNP, RRS1, NOP56, NXF1, SAP18, EIF2B4, API5, UBD, COPS5, CUL1, C

Protein Size: 306

Molecular Weight:	35 kDa
Gene ID:	10969
NCBI Accession:	NM_006824 , NP_006815
UniProt:	Q99848

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 306 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

