# antibodies - online.com







# anti-MRFAP1 antibody (N-Term)



Image



#### Overview

Quantity:	100 μL
Target:	MRFAP1
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Pig, Dog, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MRFAP1 antibody is un-conjugated
Application:	Western Blotting (WB)

### **Product Details**

Sequence:	PVINEMREDI ASLTREHGRA YLRNRSKLWE MDNMLIQIKT QVEASEESAL
Predicted Reactivity:	Cow: 100%, Dog: 93%, Human: 100%, Pig: 100%, Rabbit: 85%
Characteristics:	This is a rabbit polyclonal antibody against MRFAP1. It was validated on Western Blot.
Purification:	Affinity Purified

## Target Details

Target:	MRFAP1
Alternative Name:	MRFAP1 (MRFAP1 Products)
Background:	The function of this protein remains unknown.
	Alias Symbols: PAM14, PGR1

## **Target Details**

	Protein Interaction Partner: GOLGA8F, C3orf62, GOLGA8G, MRFAP1L1, C14orf93, DCDC2, MORF4L1, MORF4L2, SUV39H2, UBC, HTT, MAP1LC3B, C8orf33, PAM16, TK1, MRGBP, RB1, Protein Size: 127
Molecular Weight:	15 kDa
Gene ID:	93621
NCBI Accession:	NM_033296, NP_150638
UniProt:	Q9Y605

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 127 AA
Restrictions:	For Research Use only

# Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

60 kDa\_\_ 40 kDa\_\_ 29 kDa\_\_ 22 kDa\_\_ 10 kDa\_\_

Host: Rabbit

Target Name: MRFAP1

Sample Tissue: Jurkat Cell Lysate

Antibody Dilution: 1.0µg/ml

### **Western Blotting**

Image 1. Host: Rabbit
Target Name: MRFAP1

**Antibody Dilution:** 1.0ug/ml

Sample Tissue: Jurkat cell lysate