

### Datasheet for ABIN2790290

## anti-DTD1 antibody (C-Term)

# 1 Image



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	100 μL
Target:	DTD1
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse, Horse, Cow, Dog, Pig, Rabbit, Guinea Pig, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DTD1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human DTD1
Sequence:	NDGPVTIELE SPAPGTATSD PKQLSKLEKQ QQRKEKTRAK GPSESSKERN
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%,
	Rabbit: 100%, Rat: 100%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against DTD1. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	DTD1
Alternative Name:	DTD1 (DTD1 Products)

### Target Details


Background:	The protein encoded by this gene is similar in sequence to histidyl-tRNA synthetase, which
	hydrolyzes D-tyrosyl-tRNA(Tyr) into D-tyrosine and free tRNA(Tyr). The encoded protein is found
	in the cytoplasm.
	Alias Symbols: C20orf88, DUEB, HARS2, MGC119131, MGC41905, bA379J5.3, bA555E18.1,
	pqn-68
	Protein Interaction Partner: UBC, ANKMY2, HSF1, TOPBP1, CDC45, CSNK2A1, IQCB1,
	Protein Size: 209
Molecular Weight:	23 kDa
Gene ID:	92675
NCBI Accession:	NM_080820, NP_543010
UniProt:	Q8TEA8

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 209 AA	
Restrictions:	For Research Use only	

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

**Image 1.** WB Suggested Anti-DTD1 Antibody Titration: 1.0 ug/ml Positive Control: Fetal Liver