
antibodies - online.com







anti-MBD3L1 antibody (C-Term)



Image



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	MBD3L1	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Horse, Rabbit, Zebrafish (Danio rerio), Cow, Dog, Guinea Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MBD3L1 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human MBD3L1	
Sequence:	CKQFLVTEED IRKQEGKVKT VRERLAIALI ADGLANEAEK VRDQEGRPEK	
Predicted Reactivity:	Cow: 79%, Dog: 86%, Guinea Pig: 75%, Horse: 100%, Human: 100%, Mouse: 75%, Rabbit: 75%, Rat: 79%, Zebrafish: 90%	
Characteristics:	This is a rabbit polyclonal antibody against MBD3L1. It was validated on Western Blot.	
Purification:	Affinity Purified	
Target Details		
Target:	MBD3L1	

Target Details


Storage Comment:

Alternative Name:	MBD3L1 (MBD3L1 Products)		
Background:	This gene encodes a protein that is related to methyl-CpG-binding proteins but lacks the methy		
	CpG binding domain. The protein is localized to discrete areas in the nucleus, and expression		
	appears to be restricted to round spermatids, suggesting that the protein plays a role in the		
	postmeiotic stages of male germ cell development.		
	Alias Symbols: MBD3L, MGC138263, MGC138269		
	Protein Interaction Partner: MBD3, MBD2, SIN3A, MTA2, MTA1, RBBP7, RBBP4, HDAC2, HDAC1		
	CHD3,		
	Protein Size: 194		
Molecular Weight:	21 kDa		
Gene ID:	85509		
NCBI Accession:	NM_145208, NP_660209		
UniProt:	Q8WWY6		
Application Details			
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.		
Comment:	Antigen size: 194 AA		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	Lot specific		
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %		
	sucrose.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		
	should be handled by trained staff only.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-20 °C		

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-MBD3L1 Antibody Titration:1.0 ug/ml Positive Control: HT1080 Whole Cell