

# Datasheet for ABIN2790509

# anti-TESK2 antibody (C-Term)





| _ |     |          |    |    |    |    |
|---|-----|----------|----|----|----|----|
|   | 1// | Д        | rv | 16 | ٦/ | ٨  |
|   | W   | $\vdash$ | ΙV | Ιt | ٦, | /V |

| Overview             |  |
|----------------------|--|
| Quantity:            | 100 μL   |
| Target:              | TESK2  |
| Binding Specificity: | C-Term   |
| Reactivity:          | Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This TESK2 antibody is un-conjugated   |
| Application:         | Western Blotting (WB)  |
| Product Details      |  |
| Immunogen:           | The immunogen is a synthetic pentide directed towards the C-terminal region of Human TESK? |

| Immunogen:            | The immunogen is a synthetic peptide directed towards the C-terminal region of Human TESK2 |
|-----------------------|--|
| Sequence:             | AHEAMDCSIL QEENGFGSRP QGTSPCPAGA SEEMEVEERP AGSTPATFST                                     |
| Predicted Reactivity: | Cow: 86%, Dog: 79%, Horse: 86%, Human: 100%, Mouse: 79%, Pig: 83%, Rabbit: 92%, Rat: 79%   |
| Characteristics:      | This is a rabbit polyclonal antibody against TESK2. It was validated on Western Blot.      |
| Purification:         | Affinity Purified  |

# Target Details

| Target:           | TESK2  |
|-------------------|--|
| Alternative Name: | TESK2 (TESK2 Products)   |
| Background:       | This gene product is a serine/threonine protein kinase that contains an N-terminal protein |

kinase domain that is structurally similar to the kinase domains of testis-specific protein kinase1 and the LIM motif-containing protein kinases (LIMKs). Its overall structure is most related to
the former, indicating that it belongs to the TESK subgroup of the LIMK/TESK family of protein
kinases. This gene is predominantly expressed in testis and prostate. The developmental
expression pattern of the rat gene in testis suggests an important role for this gene in meitoic
stages and/or early stages of spermiogenesis.

Alias Symbols: -

Protein Interaction Partner: ZBTB1, HSP90AA1, DSTN, CFL1, YWHAB,

Protein Size: 555

Molecular Weight: 61 kDa

Gene ID: 10420

NCBI Accession: NM\_007170, NP\_009101

UniProt: Q96S53

Pathways: Cell-Cell Junction Organization

#### **Application Details**

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment:           | Antigen size: 555 AA   |
| Restrictions:      | For Research Use only  |

#### Handling


| - Tarraning        |  |
|--------------------|--|
| Format:            | Liquid   |
| Concentration:     | Lot specific   |
| Buffer:            | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.                    |
| Preservative:      | Sodium azide   |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice:   | Avoid repeated freeze-thaw cycles.   |
| Storage:           | -20 °C   |
|                    |  |

### Handling

Storage Comment:

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Images**



#### **Western Blotting**

**Image 1.** WB Suggested Anti-TESK2 Antibody Titration: 1.0 ug/ml Positive Control: MCF7 Whole Cell