



[Go to Product page](#)

Datasheet for ABIN2791109  
**anti-ATP5SL antibody (N-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	ATP5SL
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATP5SL antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Human ATP5SL
Sequence:	KRTLQFLTN YFYDVEALRD YLLQREMYKV HEKNRSYTWL EKQHGPYGAG
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ATP5SL. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	ATP5SL
Alternative Name:	ATP5SL ( <a href="#">ATP5SL Products</a> )

## Target Details

---

Background: The function of this protein remains unknown.  
Alias Symbols: -  
Protein Size: 257

---

Molecular Weight: 28 kDa

---

Gene ID: 55101

---

NCBI Accession: [NM\\_018035](#), [NP\\_060505](#)

---

UniProt: [Q9NW81](#)

---

## Application Details

---

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

---

Comment: Antigen size: 257 AA

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Handling Advice: Avoid repeated freeze-thaw cycles.


---

Storage: -20 °C

---

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

---



### Western Blotting

**Image 1.** Host: Rabbit Target Name: ATP5SL Sample Type: HepG2 Whole Cell lysates Antibody Dilution: 1.0ug/ml  
ATP5SL is supported by BioGPS gene expression data to be expressed in HepG2