
# antibodies - online.com







## anti-SLC35E1 antibody (C-Term)



Image



| ( ) | 1 / | $\sim$ | rv   | 11/ | 11 | Α  |
|-----|-----|--------|------|-----|----|----|
|     | 1// | ┙      | I \/ | 16  | ٦, | /\ |
|     |     |        |      |     |    |    |

| 0.70.7.077            |   |  |
|-----------------------|---|--|
| Quantity:             | 100 μL  |  |
| Target:               | SLC35E1   |  |
| Binding Specificity:  | C-Term  |  |
| Reactivity:           | Human, Cow, Dog, Horse, Pig, Guinea Pig, Mouse, Rat   |  |
| Host:                 | Rabbit  |  |
| Clonality:            | Polyclonal  |  |
| Conjugate:            | This SLC35E1 antibody is un-conjugated  |  |
| Application:          | Western Blotting (WB)   |  |
| Product Details       |   |  |
| Immunogen:            | The immunogen is a synthetic peptide directed towards the C-terminal region of Human SLC35E1      |  |
| Sequence:             | MTAILGVFLY NKTKYDANQQ ARKHLLPVTT ADLSSKERHR SPLEKPHNGL  |  |
| Predicted Reactivity: | Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 93%, Pig: 100%, Rat: 100% |  |
| Characteristics:      | This is a rabbit polyclonal antibody against SLC35E1. It was validated on Western Blot.           |  |
| Purification:         | Affinity Purified   |  |
| Target Details        |   |  |
| Target:               | SLC35E1   |  |
|                       |   |  |

#### Target Details


| Alternative Name: | SLC35E1 (SLC35E1 Products)  |  |
|-------------------|---|--|
| Background:       | SLC35E1 is a putative transporter.                                    |  |
|                   | Alias Symbols: -  |  |
|                   | Protein Interaction Partner: UBC, HECW2, ABCF3, FXYD6, MCOLN1, LAMA3, |  |
|                   | Protein Size: 410   |  |
| Molecular Weight: | 44 kDa  |  |
| Gene ID:          | 79939   |  |
| NCBI Accession:   | NM_024881, NP_079157  |  |
| UniProt:          | Q96K37  |  |

### **Application Details**

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment:           | Antigen size: 410 AA   |
| Restrictions:      | For Research Use only  |

#### Handling

| Format:            | Liquid  |
|--------------------|---|
| Concentration:     | Lot specific  |
| Buffer:            | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.                                     |
| Preservative:      | Sodium azide  |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                  |
| Handling Advice:   | Avoid repeated freeze-thaw cycles.  |
| Storage:           | -20 °C  |
| Storage Comment:   | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |



#### **Western Blotting**

Image1. Host:RabbitTargetName:SLC35E1SampleType:HepG2WholeCellIysatesAntibodyDilution:1.0ug/ml