

Datasheet for ABIN2791298
anti-SNX20 antibody (N-Term)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	SNX20
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Pig, Rabbit, Cow, Dog, Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNX20 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Human SNX20
Sequence:	GHLDTHTSGLS SNSSMTTREL QQYWQNQKCR WKHVKLLFEI ASARIEERKV
Predicted Reactivity:	Cow: 93%, Dog: 79%, Guinea Pig: 86%, Horse: 93%, Human: 100%, Mouse: 92%, Pig: 93%, Rabbit: 92%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against SNX20. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	SNX20
Alternative Name:	SNX20 (SNX20 Products)

Target Details

Background: SNX20 interacts with the cytoplasmic domain of PSGL1 and cycles PSGL1 into endosomes.
Alias Symbols: SLIC1
Protein Interaction Partner: FAM9B, KLHL12, TFIP11, TACC3, MAGEA11, ALAS1, GMCL1,
Protein Size: 129

Molecular Weight: 14 kDa

Gene ID: 124460

NCBI Accession: [NM_153337](#), [NP_699168](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 129 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. Host: Rabbit Target Name: SNX20 Sample Type: U937 Whole Cell lysates Antibody Dilution: 1.0ug/ml