# antibodies -online.com





# anti-CXorf22 antibody (C-Term)



Image



Go to Product page

#### Overview

Quantity:	100 μL
Target:	CXorf22 (CHDC2)
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXorf22 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human
	CXorf30
Sequence:	CXorf30  VGLPQAPPPK SPPVVIQCQS RKRAEEKVEI ILNAGFFGFS LTPDLTEVLV
Sequence: Predicted Reactivity:	
·	VGLPQAPPPK SPPVVIQCQS RKRAEEKVEI ILNAGFFGFS LTPDLTEVLV
Predicted Reactivity:	VGLPQAPPPK SPPVVIQCQS RKRAEEKVEI ILNAGFFGFS LTPDLTEVLV  Human: 100%
Predicted Reactivity: Characteristics:	VGLPQAPPPK SPPVVIQCQS RKRAEEKVEI ILNAGFFGFS LTPDLTEVLV  Human: 100%  This is a rabbit polyclonal antibody against CXorf30. It was validated on Western Blot.
Predicted Reactivity:  Characteristics:  Purification:	VGLPQAPPPK SPPVVIQCQS RKRAEEKVEI ILNAGFFGFS LTPDLTEVLV  Human: 100%  This is a rabbit polyclonal antibody against CXorf30. It was validated on Western Blot.

### **Target Details**


Background:	The function of this protein remains unknown.
	Alias Symbols: -
	Protein Size: 633
Molecular Weight:	71 kDa
Gene ID:	645090
NCBI Accession:	NM_001098843, NP_001092313
UniProt:	A6PW82

## **Application Details**

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

**Image 1.** Host: Rabbit Target Name: CXorf30 Sample Type: Fetal Liver lysates Antibody Dilution: 1.0ug/ml