antibodies -online.com





anti-FAM115A antibody (C-Term)





Go to	Draa	110+	2000
(¬() (()	P(0)	11 16 21	nane

Overview	
Quantity:	100 μL
Target:	FAM115A
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Pig, Rabbit, Cow, Dog, Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM115A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human FAM115A
Sequence:	FTEYRNQTNL PTENVDKMNL WVKMFSHQVQ KNLAPFFEAW AWPIQKEVAT
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 92%, Horse: 93%, Human: 100%, Pig: 93%, Rabbit: 93%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against FAM115A. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	FAM115A

Target Details

Alternative Name:	FAM115A (FAM115A Products)
Background:	The function of this protein remains unknown. Alias Symbols: -
	Protein Interaction Partner: TCF3, TFIP11, IKZF3, SF3B4, SPRY2, ZNF263, ZNF592, ZNF24, UBC,
	TRIP6, CEP250, COIL, TOLLIP, USP13, EFEMP2, Protein Size: 497
Molecular Weight:	56 kDa
Gene ID:	9747
NCBI Accession:	NM_001206941, NP_001193870

Application Details

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

168 kDa__ 144 kDa__ 90 kDa__ 65 kDa__ 40 kDa__

Host: Rabbit

Target Name: FAM115A

Sample Tissue: COLO205 Cell Lysate

Antibody Dilution: 1.0µg/ml

Western Blotting

Image 1. Host: Rabbit Target Name: FAM115A Sample Tissue: Human COLO205 Whole Cell Antibody Dilution: 1ug/ml