antibodies -online.com







anti-FAM171A2 antibody (C-Term)





\sim	
()\/\	rview
\circ	1 410 44

Quantity:	100 μL
Target:	FAM171A2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Cow, Pig, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM171A2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
les es un a man	
lmmunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human FAM171A2
Sequence:	
	FAM171A2
Sequence:	FAM171A2 SSRSSASELR RDSLTSPEDE LGAEVGDEAG DKKSPWQRRE ERPLMVFNVK
Sequence: Predicted Reactivity:	FAM171A2 SSRSSASELR RDSLTSPEDE LGAEVGDEAG DKKSPWQRRE ERPLMVFNVK Cow: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rat: 100%
Sequence: Predicted Reactivity: Characteristics:	SSRSSASELR RDSLTSPEDE LGAEVGDEAG DKKSPWQRRE ERPLMVFNVK Cow: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rat: 100% This is a rabbit polyclonal antibody against FAM171A2. It was validated on Western Blot.
Sequence: Predicted Reactivity: Characteristics: Purification:	SSRSSASELR RDSLTSPEDE LGAEVGDEAG DKKSPWQRRE ERPLMVFNVK Cow: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rat: 100% This is a rabbit polyclonal antibody against FAM171A2. It was validated on Western Blot.

Target Details


Background:	The function of this protein remains unknown.
	Alias Symbols: -
	Protein Interaction Partner: PSMA3, CAMK2B, UBC,
	Protein Size: 826
Molecular Weight:	84 kDa
Gene ID:	284069
NCBI Accession:	NM_198475, NP_940877
UniProt:	A8MVW0

Application Details

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1.