antibodies -online.com





anti-OR1J4 antibody (C-Term)





Go to Product page

Overview

Quantity:	100 μL
Target:	OR1J4
Binding Specificity:	C-Term
Reactivity:	Human, Horse, Pig, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR1J4 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human OR1J4
Sequence:	ALSTCGSHLS VVSLYYGTII GLYFLPSSSA SSDKDVIASV MYTVITPLLN
Predicted Reactivity:	Horse: 79%, Human: 100%, Pig: 86%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against OR1J4. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	OR1J4
Alternative Name:	OR1J4 (OR1J4 Products)
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Alias Symbols: HSHTPCRX01, HTPCRX01, OR9-21

Protein Size: 313

 Molecular Weight:
 35 kDa

 Gene ID:
 26219

 NCBI Accession:
 NM_001004452, NP_001004452


UniProt: Q8NGS1

Application Details

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1.