antibodies .- online.com







anti-OR2S2 antibody (C-Term)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Alternative Name:

Quantity:	100 μL
Target:	OR2S2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Pig, Rabbit, Rat, Cow, Dog, Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR2S2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human OR2S2
Sequence:	KKVFSTCSAH LTVVIVFYGT LFFMYGKPKS KDSMGADKED LSDKLIPLFY
Predicted Reactivity:	Cow: 93%, Dog: 79%, Guinea Pig: 85%, Horse: 86%, Human: 100%, Mouse: 79%, Pig: 86%, Rabbit: 79%, Rat: 85%
Characteristics:	This is a rabbit polyclonal antibody against OR2S2. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	OR2S2

OR2S2 (OR2S2 Products)

Target Details

Background:

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Alias Symbols: OR37A, OST715

Protein Size: 319

Molecular Weight:

35 kDa

Gene ID:

56656

NCBI Accession:

NM_019897, NP_063950

UniProt:

Q9NQN1


Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	-20 °C	
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.	



Western Blotting

Image 1.