# antibodies -online.com





## anti-OR5H14 antibody (C-Term)






#### Overview

- Overview	
Quantity:	100 μL
Target:	OR5H14
Binding Specificity:	C-Term
Reactivity:	Human, Horse, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR5H14 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of human OR5H14
Sequence:	LYYGPLVFMY VGSASPQADD QDMMESLFYT VIVPLLNSMI YSLRNKQVIA
Predicted Reactivity:	Horse: 75%, Human: 100%, Mouse: 90%, Rat: 90%
Characteristics:	This is a rabbit polyclonal antibody against OR5H14. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	OR5H14
Alternative Name:	OR5H14 (OR5H14 Products)

Target Details	
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response
	that triggers the perception of a smell. The olfactory receptor proteins are members of a large
	family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory
	receptors share a 7-transmembrane domain structure with many neurotransmitter and
	hormone receptors and are responsible for the recognition and G protein-mediated
	transduction of odorant signals. The olfactory receptor gene family is the largest in the
	genome. The nomenclature assigned to the olfactory receptor genes and proteins for this
	organism is independent of other organisms.
	Protein Size: 270
Molecular Weight:	29 kDa
Gene ID:	403273
NCBI Accession:	NM_001005514, NP_001005514
UniProt:	A6NHG9
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	

Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



### **Western Blotting**

Image 1.