antibodies - online.com







anti-OR6S1 antibody (C-Term)



Image



\sim	
()\/\	rview
\circ	

Quantity:	100 μL
Target:	OR6S1
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Dog, Guinea Pig, Horse, Mouse, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR6S1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human OR6S1
Sequence:	AIFLYVRPSQ SGSVDTNWAV TVITTFVTPL LNPFIYALRN EQVKEALKDM
Predicted Reactivity:	Cow: 86%, Dog: 93%, Guinea Pig: 93%, Horse: 93%, Human: 100%, Mouse: 93%, Rabbit: 86%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against OR6S1. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	OR6S1
Alternative Name:	OR6S1 (OR6S1 Products)

Target Details

Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Alias Symbols: OR14-37, OR6S1Q

Protein Size: 331

Molecular Weight:

35 kDa

Gene ID:

341799

NCBI Accession:

NM_001001968, NP_001001968

UniProt:

Q8NH40

Application Details

Δnn	lication	Notes.
App	IICation	MOLES.

Optimal working dilution should be determined by the investigator.


Restrictions:

For Research Use only

Handling

Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1.