# antibodies - online.com







## anti-OR7G2 antibody (C-Term)



Image



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	OR7G2
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Dog, Guinea Pig, Horse, Mouse, Pig, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR7G2 antibody is un-conjugated
Application:	Western Blotting (WB)

#### **Product Details**

Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human OR7G2	
Sequence:	LGVYISSVVT DSPRKTAVAS VMYSVFPQMV NPFIYSLRNK DMKGTLRKFI	
Predicted Reactivity:	Cow: 93%, Dog: 92%, Guinea Pig: 86%, Horse: 93%, Human: 100%, Mouse: 93%, Pig: 93%, Rabbit: 93%, Rat: 93%	
Characteristics:	This is a rabbit polyclonal antibody against OR7G2. It was validated on Western Blot.	
Purification:	Affinity Purified	

### **Target Details**

Target:	OR7G2
Alternative Name:	OR7G2 (OR7G2 Products)

Target Details	
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.  Protein Size: 324
Molecular Weight:	35 kDa
Gene ID:	390882
UniProt:	Q8NG99
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %

Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa\_\_ 65 kDa\_\_ 40 kDa\_\_ 29 kDa\_\_ 22 kDa\_\_

Host: Rabbit

Target Name: OR7G2

Sample Tissue: A549 Cell Lysate Antibody Dilution: 1.0µg/ml

#### **Western Blotting**

**Image 1.** Host: Rabbit Target Name: OR7G2 Sample Type: A549 Whole Cell lysates Antibody Dilution: 1.0ug/ml