antibodies - online.com





anti-SEL1L2 antibody (N-Term)



Image



Overview	
Quantity:	100 μL
Target:	SEL1L2
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Dog, Horse, Mouse, Pig, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SEL1L2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Human SEL1L2

Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Human SEL1L2
Sequence:	GDQLFKMGIK VLQQSKSQKQ KEEAYLLFAK AADMGNLKAM EKMADALLFG
Predicted Reactivity:	Cow: 93%, Dog: 93%, Horse: 86%, Human: 100%, Mouse: 86%, Pig: 93%, Rabbit: 93%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against SEL1L2. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	SEL1L2
Alternative Name:	SEL1L2 (SEL1L2 Products)

Target Details


Background:	The function of this protein remains unknown.
	Alias Symbols: C20orf50, DJ842G6.2, dJ631M13.1
	Protein Interaction Partner: UBC,
	Protein Size: 575
Molecular Weight:	61 kDa
Gene ID:	80343
NCBI Accession:	NM_001271539, NP_001258468

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Host: Rabbit

Target Name: SEL1L2

Sample Tissue: HepG2 Cell Lysate

Antibody Dilution: 1.0µg/ml

Western Blotting

Image1. Host:RabbitTargetName:SEL1L2SampleTissue:HumanHepG2WholeCellAntibodyDilution:1ug/ml