

Datasheet for ABIN2798530

anti-TEAD3 antibody (N-Term)



oo to . . oudot pago

()	V		rV	ĺ	9	V	V
'	\mathcal{I}	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	400 μL	
Target:	TEAD3	
Binding Specificity:	AA 82-110, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TEAD3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Purpose:	Rabbit Anti-Human TEAD3 (N-term) Antibody	
Purpose: Immunogen:	Rabbit Anti-Human TEAD3 (N-term) Antibody This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the N-terminal region of human TEAD3.	
	This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
Immunogen:	This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the N-terminal region of human TEAD3.	
Immunogen:	This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the N-terminal region of human TEAD3.	
Immunogen: Isotype: Target Details	This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the N-terminal region of human TEAD3. Ig Fraction	
Immunogen: Isotype: Target Details Target:	This TEAD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 82-110 amino acids from the N-terminal region of human TEAD3. Ig Fraction TEAD3	

Target Details

rarget Details			
	somatomammotropin-B gene enhancer. Translation of this protein is initiated at a non-AUG		
	(AUA) start codon. [provided by RefSeq].		
	Gene Symbol: TEAD3		
Molecular Weight:	48676 Da		
Gene ID:	7005		
UniProt:	Q99594		
Pathways:	Regulation of Lipid Metabolism by PPARalpha		
Application Details			
Application Notes:	Western Blot, Immunohistochemistry		
	Recommended Dilutions		
	WB: 1:1000, IHC: 1:10-50TEAD3 Antibody (N-term) for immunohistochemistry. Clinical		
	relevance has not been evaluated.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	0.5 mg/mL		
Storage:	4 °C,-20 °C		
Storage Comment:	2-8°C (short-term), -20°C (long-term)		