

Datasheet for ABIN2798618

anti-PSMA5 antibody (N-Term)



Go to Product page

Overviev	

400 μL
PSMA5
AA 1-30, N-Term
Human
Rabbit
Polyclonal
This PSMA5 antibody is un-conjugated
Western Blotting (WB), Immunohistochemistry (IHC)
Rabbit Anti-Human PSMA5 (N-term) Antibody
Rabbit Anti-Human PSMA5 (N-term) Antibody This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PSMA5.
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PSMA5.
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PSMA5. Ig Fraction
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PSMA5. Ig Fraction PSMA5
This PSMA5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PSMA5. Ig Fraction PSMA5 PSMA5 (PSMA5 Products)

beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. PMA5 is a member of the peptidase T1A family, that is a 20S core alpha subunit.

Gene Symbol: PSMA5

Molecular Weight: 26411 Da

Gene ID: 5686

UniProt: P28066

Pathways: Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA

Application Details

Application Notes: Western Blot, Immunohistochemistry

Recommended Dilutions

WB: 1:1000, IHC: 1:50Western blot analysis of PSMA5 (arrow) using rabbit polyclonal PSMA5 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	2.0 mg/mL
Storage:	4 °C,-20 °C
Storage Comment:	2-8°C (short-term), -20°C (long-term)