

### Datasheet for ABIN2803152

# anti-STAT2 antibody (AA 151-250)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL
Target:	STAT2
Binding Specificity:	AA 151-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STAT2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human STAT2
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Horse
Purification:	Purified by Protein A.

#### **Target Details**

Target: STAT2

## Target Details

rarget Details		
Alternative Name:	STAT2 (STAT2 Products)	
Background:	Synonyms: P113, ISGF-3, STAT113, Signal transducer and activator of transcription 2, STAT2	
	Background: Signal transducer and activator of transcription that mediates signaling by type	
	IFNs (IFN-alpha and IFN-beta). Following type I IFN binding to cell surface receptors, Jak	
	kinases (TYK2 and JAK1) are activated, leading to tyrosine phosphorylation of STAT1 and	
	STAT2. The phosphorylated STATs dimerize, associate with IRF9/ISGF3G to form a complex	
	termed ISGF3 transcription factor, that enters the nucleus. ISGF3 binds to the IFN stimulated	
	response element (ISRE) to activate the transcription of interferon stimulated genes, which	
	drive the cell in an antiviral state.	
Gene ID:	6773	
UniProt:	P52630	
Pathways:	JAK-STAT Signaling, Hepatitis C, CXCR4-mediated Signaling Events	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

## Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months