antibodies .- online.com





Datasheet for ABIN2803277

anti-DYNC1LI1 antibody (AA 451-523)



Go to Product page

/ N	1	-	K	/1	01	A /
	1//	\vdash	1 \	/ I	e	\/\/
\sim	٧.	\sim	1 V		\sim	v v

Quantity:	100 μL
Target:	DYNC1LI1
Binding Specificity:	AA 451-523
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DYNC1LI1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DNCLI1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Chicken
Purification:	Purified by Protein A.

Target Details

Target: DYNC1LI1

Target Details

Alternative Name:	DNCLI1 (DYNC1LI1 Products)
Background:	Synonyms: LIC1, DNCLI1, Cytoplasmic dynein 1 light intermediate chain 1, Dynein light chain A,
-	DLC-A, Dynein light intermediate chain 1, cytosolic, DYNC1LI1
	Background: Acts as one of several non-catalytic accessory components of the cytoplasmic
	dynein 1 complex that are thought to be involved in linking dynein to cargos and to adapter
	proteins that regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the
	intracellular retrograde motility of vesicles and organelles along microtubules. May play a role in
	binding dynein to membranous organelles or chromosomes. Probably involved in the
	microtubule-dependent transport of pericentrin. Is required for progress throuh the spindle
	assembly checkpoint. The phosphorylated form appears to be involved in the selective removal
	of MAD1L1 and MAD1L2 but not BUB1B from kinetochores.
Gene ID:	51143
UniProt:	Q9Y6G9
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months