

Datasheet for ABIN2803633

anti-EZH2 antibody (AA 255-350) (AbBy Fluor® 594)



Go to Product page

| Overview |
|----------|
| |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | EZH2 | |
| Binding Specificity: | AA 255-350 | |
| Reactivity: | Human, Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This EZH2 antibody is conjugated to AbBy Fluor® 594 | |
| Application: | Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human KMT6/EZH2 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | EZH2 |
|-------------------|----------------------|
| Alternative Name: | KMT6 (EZH2 Products) |

Target Details

| Background: | Synonyms: Enhancer of zeste homolog 2, Enx1h, MGC9169, Enhancer of zeste 2, ENX-1, ENX 1, | |
|---------------------|--|--|
| | ENX1, EZH1, EZH2, EZH 2, EZH2_HUMAN, Histone-lysine N-methyltransferase EZH2, KMT6A, | |
| | Lysine N-methyltransferase 6, Enhancer of zeste homolog 2 Drosophila, Enhancer of zeste, | |
| | Drosophila, homolog 2, KMT 6, KMT6, KMT6A, WVS2. | |
| | Background: This gene encodes a member of the Polycomb-group (PcG) family. PcG family | |
| | members form multimeric protein complexes, which are involved in maintaining the | |
| | transcriptional repressive state of genes over successive cell generations. This protein | |
| | associates with the embryonic ectoderm development protein, the VAV1 oncoprotein, and the | |
| | X-linked nuclear protein. This protein may play a role in the hematopoietic and central nervous | |
| | systems. Multiple alternatively splcied transcript variants encoding distinct isoforms have been | |
| | identified for this gene. [provided by RefSeq, Feb 2011]. | |
| Gene ID: | 2146 | |
| Pathways: | Retinoic Acid Receptor Signaling Pathway, Regulation of Muscle Cell Differentiation | |
| Application Details | | |
| Application Notes: | FCM 1:20-100 | |
| | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |

| | lI | 1: |
|---|------|--------|
| - | เวทก | 111111 |
| | land | HHU |
| | | |

Expiry Date:

12 months