## antibodies - online.com





Background:

## anti-LSAMP antibody (AA 51-150) (Alexa Fluor 594)



Overview	
Quantity:	100 μL
Target:	LSAMP
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LSAMP antibody is conjugated to Alexa Fluor 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human LSAMP
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Pig, Horse, Chicken, Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	LSAMP
Alternative Name:	LSAMP (LSAMP Products)

Synonyms: IgLON family member 3, IGLON3, Lam, LAMP, Limbic system associated membrane

protein, Limbic system associated membrane protein precursor, Limbic system-associated membrane protein, LSAMP, LSAMP\_HUMAN.

Background: LSAMP is a neuronal surface glycoprotein found in cortical and subcortical regions of the limbic system expressed on the surface of somata and proximal dendrites of neurons. It is a member of the immunoglobulin (Ig) superfamily and belongs to the IgLON subfamily of cell adhesion molecules. LSAMP contains three Ig domains and a glycosylphosphatidylinositol anchor. It is a highly conserved protein between rodents and humans (99 % sequence identity) and it is involved in the regulation of neurite outgrowth and mediation of proper circuit formation of limbic pathways. This suggests that LSAMP plays an important role in the development and function of the limbic system. In addition, LSAMP may function as a tumor suppressor in renal carcinomas.

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months