

## Datasheet for ABIN2804601

## anti-Merlin antibody (AA 401-550) (AbBy Fluor® 594)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μL	
Target:	Merlin (NF2)	
Binding Specificity:	AA 401-550	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Merlin antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))	
Product Details		

Immunogen:	KLH conjugated synthetic peptide derived from human NF2	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## Target Details

Target:	Merlin (NF2)
Alternative Name:	NF2/ Neurofibromin 2 (NF2 Products)

## **Target Details**

· ·		
Background:	Synonyms: ACN, SCH, BANF, Merlin, Moesin-ezrin-radixin-like protein, Neurofibromin-2,	
	Schwannomerlin, Schwannomin, NF2	
	Background: Probable regulator of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway, a	
	signaling pathway that plays a pivotal role in tumor suppression by restricting proliferation and	
	promoting apoptosis. Along with WWC1 can synergistically induce the phosphorylation of	
	LATS1 and LATS2 and can probably function in the regulation of the Hippo/SWH	
	(Sav/Wts/Hpo) signaling pathway. May act as a membrane stabilizing protein. May inhibit PI3	
	kinase by binding to AGAP2 and impairing its stimulating activity. Suppresses cell proliferation	
	and tumorigenesis by inhibiting the CUL4A-RBX1-DDB1-VprBP/DCAF1 E3 ubiquitin-protein	
	ligase complex.	
Gene ID:	4771	
UniProt:	P35240	
Pathways:	Cell-Cell Junction Organization	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	