antibodies.com

Datasheet for ABIN2804838 anti-NUP107 antibody (AA 501-600) (AbBy Fluor® 594)



Overview

| Quantity: | 100 µL |
|----------------------|---|
| Target: | NUP107 |
| Binding Specificity: | AA 501-600 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NUP107 antibody is conjugated to AbBy Fluor® 594 |
| Application: | Western Blotting (WB), Flow Cytometry (FACS) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Nuclear pore complex protein Nup107 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Pig,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | NUP107 |
|-------------------|--|
| Alternative Name: | NUP107/Nuclear Pore Complex Proteins (NUP107 Products) |
| Background: | Synonyms: 107 kDa nucleoporin, NPC proteins, NU107_HUMAN, Nuclear pore complex protein |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2804838 | 06/07/2024 | Copyright antibodies-online. All rights reserved.

| | Nup107, Nucleoporin 107 kDa, Nucleoporin Nup107, NUP 107, NUP 84, NUP107, NUP153, |
|---------------------|---|
| | NUP155, NUP84, NUP98. |
| | Background: Nuclear pore complexes (NPCs) are the channels for the bi-directional movement |
| | of macromolecules between the nucleus and cytoplasm, and contain more than 100 different |
| | subunits. Many of them belong to a family called nucleoporins, which are characterized by the |
| | presence of O-linked N-acetylglucosamine moieties and a distinctive pentapeptide repeat |
| | (XFXFG). Nuclear pore complex protein Nup107 (Nucleoporin Nup107) is an essential part of |
| | the nuclear pore complex which is composed of Nup133, Nup160, Nup107 and Nup96. Nup107 |
| | is active in assembling peripheral proteins into this complex. The protein, located on both the |
| | nuclear and cytoplasmic sides of the pore, is important in RNA export. |
| Pathways: | Protein targeting to Nucleus |
| Application Details | |
| Application Notes: | FCM 1:20-100 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |