# antibodies -online.com





## anti-ARPC5 antibody (AA 51-151) (Alexa Fluor 594)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	ARPC5	
Binding Specificity:	AA 51-151	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ARPC5 antibody is conjugated to Alexa Fluor 594	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human p16 ARC
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Sheep,Horse
Purification:	Purified by Protein A.

#### **Target Details**

Target:	ARPC5
Alternative Name:	p16 ARC/ARPC5 (ARPC5 Products)

### Target Details

Background:	Synonyms: Actin related protein 2/3 complex subunit 5 16 kD, Actin related protein 2/3 complex	
	subunit 5, Actin related protein 2/3 complex, subunit 5 16 kDa, Actin-related protein 2/3	
	complex subunit 5, ARC16, Arp2/3 complex 16 kDa subunit, Arp2/3 protein complex subunit	
	p16, Actin-related protein 2/3, ARPC 5, Arpc5, ARPC5_HUMAN, p16 Arc, p16-ARC.	
	Background: This gene encodes one of seven subunits of the human Arp2/3 protein complex.	
	The Arp2/3 protein complex has been implicated in the control of actin polymerization in cells	
	and has been conserved through evolution. The exact role of the protein encoded by this gene,	
	the p16 subunit, has yet to be determined. Alternatively spliced transcript variants encoding	
	different isoforms have been observed for this gene	
Pathways:	RTK Signaling, Regulation of Actin Filament Polymerization	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	