# antibodies -online.com





# anti-DNAJC3 antibody (AA 351-450) (Alexa Fluor 594)



#### Overview

Quantity:	100 μL
Target:	DNAJC3
Binding Specificity:	AA 351-450
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAJC3 antibody is conjugated to Alexa Fluor 594
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human p58ipk/DNAJC3
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

## **Target Details**

Target:	DNAJC3
Alternative Name:	p58ipk/ DNAJC3 (DNAJC3 Products)

## **Target Details**

•	
Background:	Synonyms: DNAJC3, Protein Kinase Inhibitor P58, DnaJ homolog subfamily C member 3, HP58,
	Interferon induced, double stranded RNA activated protein kinase inhibitor, P58, p58 ipk ,
	P58IPK, PRKRI, Protein kinase inhibitor of 58 kDa, Protein kinase inhibitor p58.
	Background: DNAJC3 may act as an inhibitor of both the autophosphorylation of EIF2AK2/PKR
	and the ability of EIF2AK2/PKR to catalyze phosphorylation of the EIF2A. It also functions as a
	Co-chaperone of HSPA8/HSC70 and is involved in the unfolded protein response (UPR) during
	ER stress. It has been reported that this protein stimulates the ATPase activity of
	HSPA8/HSC70.DNAJC3 is also involved in ativiral defense - it is activated in response to
	infection by influenza virus through the dissociation of DNAJB1. DNAJC3 is widely expressed
	and can be found at high levels in the testis and pancreas (expression in cell lines is variable).
Gene ID:	5611
UniProt:	Q13217
Pathways:	ER-Nucleus Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months