

## Datasheet for ABIN2805552

## anti-PRG2 antibody (AA 51-150) (AbBy Fluor® 594)



_		erview				
	1//	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Overview		
Quantity:	100 μL	
Target:	PRG2	
Binding Specificity:	AA 51-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PRG2 antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human PRG2	
Isotype:	IgG	
Predicted Reactivity:	Human	
Purification:	Purified by Protein A.	
Target Details		
Target:	PRG2	
Alternative Name:	PRG2 (PRG2 Products)	
Background:	Synonyms: BMPG, EMBP, Eosinophil granule major basic protein, Eosinophil major basic	

protein, MBP, MBP1, Natural killer cell activator, Pregnancy-associated major basic protein, PRG 2, PRG2\_HUMAN, Proteoglycan 2, Proteoglycan 2 bone marrow, Proteoglycan 2 preproprotein.

Background: The protein encoded by this gene is the predominant constituent of the crystalline core of the eosinophil granule. High levels of the proform of this protein are also present in placenta and pregnancy serum, where it exists as a complex with several other proteins including pregnancy-associated plasma protein A (PAPPA), angiotensinogen (AGT), and C3dg. This protein may be involved in antiparasitic defense mechanisms as a cytotoxin and helminthotoxin, and in immune hypersensitivity reactions. It is directly implicated in epithelial cell damage, exfoliation, and bronchospasm in allergic diseases. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2011].

Gene ID: 5553

UniProt: P13727

## **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200 IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months