# antibodies .- online.com







# anti-RBM38 antibody (AA 51-150) (Alexa Fluor 594)



( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	100 μL
Target:	RBM38
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM38 antibody is conjugated to Alexa Fluor 594
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human RBM38
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Pig, Chicken, Rabbit
Purification:	Purified by Protein A.

# **Target Details**

Target:	RBM38
Alternative Name:	RBM38 (RBM38 Products)
Background:	Synonyms: SEB4D, CLL associated antigen KW 5, CLL-associated antigen KW-5, HSRNASEB,

RBM38, RBM38_HUMAN, RNA binding mot protein 38, RNA binding protein 38, RNA binding
region RNP1, RRM containing 1, RNA binding region containing protein 1, RNA-binding mot
protein 38, RNA-binding protein 38, RNA-binding region-containing protein 1, RNPC1, SEB4,
SEB4B, ssDNA binding protein SEB4, ssDNA-binding protein SEB4.

Background: RNA-binding protein that specifically bind the 3'-UTR of CDKN1A transcripts, leading to maintain the stability of CDKN1A transcripts, thereby acting as a mediator of the p53/TP53 family to regulate CDKN1A. CDKN1A is a cyclin-dependent kinase inhibitor transcriptionally regulated by the p53/TP53 family to induce cell cycle arrest. Isoform 1, but not isoform 2, has the ability to induce cell cycle arrest in G1 and maintain the stability of CDKN1A transcripts induced by p53/TP53. Also acts as a mRNA splicing factor. Specifically regulates the expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Plays a role in myogenic differentiation.

Gene ID:	55544
Gene id.	55544

Pathways: Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development

## **Application Details**

HC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	lI	1:
-	เวทก	111111
	land	HHU

Expiry Date:

12 months