

## Datasheet for ABIN2806014

## anti-TRIM17 / RNF16 antibody (AbBy Fluor® 594)



_						
	V	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Overview				
Quantity:	100 μL			
Target:	TRIM17 / RNF16 (TRIM17)			
Reactivity:	Mouse, Rat			
Host:	Rabbit			
Clonality:	Polyclonal			
Conjugate:	This TRIM17 / RNF16 antibody is conjugated to AbBy Fluor® 594			
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))			
Product Details				
Immunogen:	KLH conjugated synthetic peptide derived from mouse TRIM17/RNF16			
Isotype:	IgG			
Cross-Reactivity:	Mouse, Rat			
Purification:	Purified by Protein A.			
Target Details				
Target:	TRIM17 / RNF16 (TRIM17)			
Alternative Name:	RNF16 (TRIM17 Products)			
Background:	Synonyms: RBCC, RING finger protein 16, RNF16, TERF, Testis RING finger protein, TRIM 17,			
	Tripartite mot protein 17, TRI17_MOUSE.			
	Background: The tripartite motif (TRIM) family of proteins are characterized by a conserved			
	TRIM domain that includes a coiled-coil region, a B-box type zinc finger, one RING finger and			

three zinc-binding domains. TRIM17 (tripartite motif-containing 17), also known as RBCC, terf or RNF16, is a 477 amino acid protein that contains one RING-type zinc finger, one SPRY domain and one B box-type zinc finger. Expressed nearly exclusively in testis, TRIM17 belongs to the TRIM family and, based on its functional domains, may play a role in transcriptional regulation events. The gene encoding TRIM17 maps to human chromosome 1, which spans 260 million base pairs, contains over 3,000 genes and comprises nearly 8 % of the human genome. Chromosome 1 houses a large number of disease-associated genes, including those that are involved in familial adenomatous polyposis, Stickler syndrome, Parkinson?s disease, Gaucher disease, schizophrenia and Usher syndrome. Aberrations in chromosome 1 are found in a variety of cancers, including head and neck cancer, malignant melanoma and multiple myeloma

Gene ID:

Storage:

**Expiry Date:** 

Storage Comment:

51127

-20 °C

12 months

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.