# antibodies -online.com





# anti-SLC39A7 antibody (AA 201-300) (Alexa Fluor 594)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	SLC39A7	
Binding Specificity:	AA 201-300	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC39A7 antibody is conjugated to Alexa Fluor 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SLC39A7	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	SLC39A7
Alternative Name:	SLC39A7 (SLC39A7 Products)

## **Target Details**

Background:	Synonyms: D6S115E, D6S2244E, H2 KE4, Histidine rich membrane protein Ke4, Histidine-rich	
	membrane protein Ke4, HKE4, HLA class II region expressed gene KE4, KE4, Ke4 gene mouse,	
	human homolog of, Really interesting new gene 5 protein, RING5, S39A7_HUMAN, SLC39A7,	
	Solute carrier family 39 zinc transporter, member 7, Solute carrier family 39 member 7, solute	
	carrier family 39 zinc transporter member 7, Zinc transporter SLC39A7, ZIP7.	
	Background: Zinc is an essential cofactor for more than 50 classes of enzymes and is involved	
	in protein, nucleic acid, carbohydrate, and lipid metabolism, plus the control of gene	
	transcription, growth, development, and differentiation. Zinc cannot passively diffuse across	
	cell membranes and requires specific transporters, such as SLC39A7, to enter the cytosol from	
	both the extracellular environment and from intracellular storage compartments.	
Gene ID:	7922	
Pathways:	Transition Metal Ion Homeostasis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	