antibodies -online.com





anti-SV2B antibody (AA 401-500) (Alexa Fluor 594)



		erview		
()	1/0	r\ / I	014	
()	$\lor \vdash$	I V I	-v	V

Quantity:	100 μL	
Target:	SV2B	
Binding Specificity:	ding Specificity: AA 401-500	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SV2B antibody is conjugated to Alexa Fluor 594	
Application:	tion: Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	en: KLH conjugated synthetic peptide derived from human SV2B	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	SV2B
Alternative Name:	SV2B (SV2B Products)

Target Details	
Background:	Synon
	Backg
	glycop
	isofor
	synap
	subco
	most
	in that
	1.0

 $Synonyms: Synaptic \ vesicle \ protein \ 2B, \ SV2B_HUMAN.$

Background: In all vertebrates, SV2 proteins are abundant, hydrophobic, membrane glycoproteins that are expressed as two major isoforms, SV2A and SV2B, and one minor isoform, SV2C. SV2 proteins are differentially expressed in the brain and are present on all synaptic vesicles, independent of transmitter type. SV2A is abundantly expressed in the subcortex, specifically in the synaptic vesicles of all presynaptic nerve terminals, and also in most neuroendocrine secretory granules. SV2B displays a more restricted pattern of expression in that it is only present on a small subset of synapses in the hippocampus and cortex. SV2A and SV2B are funtionally redundant and are required for maintaining normal brain function in vertebrates. SV2A and SV2B mediate synaptic transmission by regulating cytoplasmic Ca2+ levels in the nerve terminal during repetitive stimulation.

Gene ID:

9899

Application Details

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	