antibodies -online.com





anti-VGLL2 antibody (Alexa Fluor 594)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	VGLL2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VGLL2 antibody is conjugated to Alexa Fluor 594
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human VGLL2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	VGLL2
Alternative Name:	VGLL2 (VGLL2 Products)
Background:	Synonyms: Protein VITO1, Transcription cofactor vestigial like 2, Transcription cofactor vestigial
	like protein 2, Transcription cofactor vestigial-like protein 2, Vestigial like 2, Vestigial like 2 Drosophila, Vgl-2, VGL2, VGLL 2, Vgll2, VGLL2_HUMAN, VITO1.
	Background: Vgl-2, also known as VITO-1, is a 317 amino acid protein that contains a domain

Target Details

through which it interacts with TEF-1, a protein that plays a role in controlling the expression of numerous genes. Specific to skeletal muscle, Vgl-2 is expressed highly in adult fast muscle and is expressed at lower levels in adult slow muscle and fetal skeletal muscle. During muscle differentiation, Vgl-2 mRNA levels increase and Vgl-2 translocates from the cytoplasm to the nucleus. Overexpression of Vgl-2 in MYOD-transfected 10T1/2 mouse embryonic fibroblasts increases expression of myosin heavy chain (MHC), which is a marker of terminal muscle differentiation. This evidence suggests that Vgl-2 is essential for muscle gene expression. There are two isoforms of Vgl-2 that are produced as a result of alternative splicing events.

Gene ID:

245806

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months