

Datasheet for ABIN2807648

**anti-ZIC2 antibody (AA 201-300) (AbBy Fluor® 594)**[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	ZIC2
Binding Specificity:	AA 201-300
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZIC2 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Zic2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Cow, Sheep, Pig, Chicken
Purification:	Purified by Protein A.

## Target Details

Target:	ZIC2
Alternative Name:	Zic2 ( <a href="#">ZIC2 Products</a> )

## Target Details

---

**Background:** Synonyms: HPE 5, HPE5, Odd paired homolog Drosophila, Zic 2, Zic family member 2 odd paired Drosophila homolog, Zic family member 2, ZIC2, ZIC2\_HUMAN, Zinc finger protein of the cerebellum 2, Zinc finger protein ZIC 2, Zinc finger protein Zic2.

Background: Zic2 is a C2H2 zinc finger transcription factor that influences forebrain development. Zic2 is a transcriptional repressor and may regulate tissue specific expression of dopamine receptor D1. Zic2 transcript is abundant in the dorsal neural tube/spinal cord, and in the hindbrain. A polyhistidine tract polymorphism in this gene may be associated with increased risk of neural tube defects. This gene is closely linked to a gene encoding zinc finger protein of the cerebellum 5, a related family member on chromosome 13.

**Pathways:** [Tube Formation](#)

## Application Details

---

**Application Notes:** IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

**Concentration:** 1 µg/µL

**Buffer:** Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

**Preservative:** ProClin

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

**Storage:** -20 °C

**Storage Comment:** Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

**Expiry Date:** 12 months