

Datasheet for ABIN2807901

anti-SOCS7 antibody (AA 171-270) (Cy5)



_				
()	ve.	rv/	101	Λ

Quantity:	100 μL	
Target:	SOCS7	
Binding Specificity:	AA 171-270	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SOCS7 antibody is conjugated to Cy5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
	KLH conjugated synthetic peptide derived from human SOCS7.	
Immunogen:	KLH conjugated synthetic peptide derived from human SOCS7.	
Immunogen: Isotype:	KLH conjugated synthetic peptide derived from human SOCS7.	
Isotype:	IgG	
Isotype: Cross-Reactivity:	IgG Human, Mouse, Rat	
Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Human, Mouse, Rat Rabbit	
Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	IgG Human, Mouse, Rat Rabbit	

Target Details

Synonyms: NAP4, NCKAP4, Suppressor of cytokine signaling 7, SOCS-7, Nck, Ash and	
phospholipase C gamma-binding protein, Nck-associated protein 4, NAP-4, SOCS7, SOCS6	
Background: Regulates signaling cascades probably through protein ubiquitination and/or	
sequestration. Functions in insulin signaling and glucose homeostasis through IRS1	
ubiquitination and subsequent proteasomal degradation. Inhibits also prolactin, growth	
hormone and leptin signaling by preventing STAT3 and STAT5 activation, sequestering them in	
the cytoplasm and reducing their binding to DNA. May be a substrate recognition component of	
a SCF-like E3 ubiquitin-protein ligase complex which mediates the ubiquitination and	
subsequent proteasomal degradation of target proteins (By similarity).	
30837	
014512	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
ate: 12 months	