## antibodies .- online.com





## anti-PSMG1 antibody (AA 21-100) (FITC)



0 -	4.4	Prod	400		_
1-()	10	Pron	ויאוו	nan	$\boldsymbol{\omega}$
$\circ$	LO.	1 100	uot	Dud	

$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL	
Target:	PSMG1	
Binding Specificity:	AA 21-100	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PSMG1 antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PSMG1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	PSMG1
Alternative Name:	PSMG1 (PSMG1 Products)
Background: Synonyms: PAC1, DSCR2, PAC-1, C21LRP, LRPC21, Proteasome assembly chaperone	

Expiry Date:

12 months

Target Details	
	Chromosome 21 leucine-rich protein, C21-LRP, Down syndrome critical region protein 2,
	PSMG1
	Background: Chaperone protein which promotes assembly of the 20S proteasome as part of a
	heterodimer with PSMG2. The PSMG1-PSMG2 heterodimer binds to the PSMA5 and PSMA7
	proteasome subunits, promotes assembly of the proteasome alpha subunits into the
	heteroheptameric alpha ring and prevents alpha ring dimerization.
Gene ID:	8624
UniProt:	095456
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.