# antibodies -online.com





## anti-ARHGAP32 antibody (AA 860-896) (Alexa Fluor 594)



Go to Product page

| $\sim$ |     |     |     |
|--------|-----|-----|-----|
|        | N/P | r\/ | i⊢₩ |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | ARHGAP32   |
| Binding Specificity: | AA 860-896   |
| Reactivity:          | Human, Mouse, Rat  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This ARHGAP32 antibody is conjugated to Alexa Fluor 594  |
| Application:         | Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## **Product Details**

| Immunogen:        | KLH conjugated synthetic peptide derived from human ARHGAP32 |
|-------------------|--|
| Isotype:          | IgG  |
| Cross-Reactivity: | Human, Mouse, Rat  |
| Purification:     | Purified by Protein A.                                       |

## Target Details

| Target:           | ARHGAP32   |
|-------------------|--|
| Alternative Name: | ARHGAP32 (ARHGAP32 Products)   |
| Background:       | Synonyms: GRIT, RICS, GC-GAP, PX-RICS, p250GAP, p200RhoGAP, Rho GTPase-activating          |
|                   | protein 32, Brain-specific Rho GTPase-activating protein, GAB-associated Cdc42/Rac GTPase- |

activating protein, GTPase regulator interacting with TrkA, Rho-type GTPase-activating protein 32, Rho/Cdc42/Rac GTPase-activating protein RICS, RhoGAP involved in the beta-catenin-N-cadherin and NMDA receptor signaling, ARHGAP32, KIAA0712

Background: GTPase-activating protein (GAP) promoting GTP hydrolysis on RHOA, CDC42 and RAC1 small GTPases. May be involved in the differentiation of neuronal cells during the formation of neurite extensions. Involved in NMDA receptor activity-dependent actin reorganization in dendritic spines. May mediate cross-talks between Ras- and Rho-regulated signaling pathways in cell growth regulation. Isoform 2 has higher GAP activity (By similarity).

Gene ID:

9743

UniProt:

A7KAX9

## **Application Details**

| Application Notes: | IF(IHC-P) 1:50-200    |
|--------------------|-----------------------|
| Restrictions:      | For Research Use only |

## Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |