antibodies .- online.com





Datasheet for ABIN2810423

anti-BRE antibody (AA 301-383) (Alexa Fluor 594)



Go to	Proc	luct	page

()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	BRE
Binding Specificity:	AA 301-383
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRE antibody is conjugated to Alexa Fluor 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human BRCC45
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Sheep,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	BRE
Alternative Name:	BRCC45 (BRE Products)

Target Details

Storage Comment:

rarget betane	
Background:	Synonyms: Brain and reproductive organ expressed TNFRSF1A modulator, BRCA1/BRCA2
	containing complex subunit 4, BRCA1/BRCA2 containing complex subunit 45, BRCC4, BRCC45,
	BRE_HUMAN.
	Background: BRCC45 was initially suggested to be a housekeeping protein that is highly
	expressed in brain and reproductive organs. Later experiments indicated BRCC45 forms a
	complex with the breast and ovarian predisposition proteins BRCA1 and BRCA2 as well as
	RAD51 and BRCC36. This complex has a ubiquitin E3 ligase activity and is thought to enhance
	cellular survival following DNA damage. BRCC45 has also been suggested to function as a
	death receptor associated anti apoptotic protein by inhibiting the BID induced activation of the
	mitochondrial apoptotic pathway. Higher levels of BRCC45 were detected in the majority of
	hepatocellular carcinomas, suggesting that BRCC45 may promote tumorigenesis when
	overexpressed. At least three isoforms of BRCC45 are known to exist.
Gene ID:	9577
Pathways:	Positive Regulation of Response to DNA Damage Stimulus
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months